



LEX AUTOLEASE

working with Tevo and Fiat

VAN RACKING SOLUTIONS FROM TEVO
FOR FIAT PROFESSIONAL





Driveaway solutions for commercial vehicles

Lex Autolease is the UK's leading fleet management and funding specialist with the industry knowledge and experience to help build the perfect commercial fleet for your business.

An extension to our Commercial Vehicle service is now available which will provide your business with purpose built Driveaway vans. This additional service has been developed in conjunction with Fiat Professional and van racking experts Tevo Limited.

In responding to our customers' requirements, Lex Autolease has developed a range of Driveaway commercial vehicle solutions to meet the needs of various business sectors.

Driveaway vans are converted by Tevo Limited and are ready for use as soon as they're delivered. The internal specifications are designed and fitted out to meet your work needs, so all necessary racking and safety features are pre-installed before delivery.

Dedicated to Commercial Vehicles

At Lex Autolease, we're dedicated to Commercial Vehicles. Businesses and public sector organisations all across the UK trust us to take care of their vehicle lease requirements. Our end to end service helps your business meet the challenges of running your fleet:

- **Choice** – a comprehensive range of vehicles and body styles to meet your specific vehicle needs.
- **Implementation** – the adaptation and delivery process is fully managed by our Commercial Vehicle experts once the specifications have been agreed.
- **Operation** – Our Commercial Vehicle Technical Services Team will help to make sure that your fleet is fully maintained and vehicle downtime is kept to a minimum.

For further information, quotations or to discuss your fleet requirements please get in touch:

Customer Services - 0800 012 1234

direct@lexautolease.co.uk




Convert your empty van...




Light, strong and durable: Tevo's products are made from ultra-high strength steel, a material that combines maximum strength with minimum weight. This has resulted in a safer product, which in turn will increase your vehicle's load capacity, alternatively reduce your vehicle's CO₂ emissions and fuel costs even further.



Flexible: Thanks to being modular in all senses, combined with innovative solutions, integrated T-tracks and smart accessories, Tevo can offer a system with endless possibilities. If your demand changes, you can easily add to, or change the design to suit your needs. Square modules can easily be rotated in the system to face, for example, the side door.



A high-quality product: Tevo's products comply with the European TÜV standard. Through ISO 9001 certification, they can ensure quality at every stage from development and manufacturing through to sales, customer service and delivery. This enables them to offer a 36 month warranty with confidence, on all of the products that they manufacture themselves.



A safe choice: Tevo has more than 30 years' experience within the industry, and have been working diligently on their safety programme for many years. Today they use some of the most highly reputable safety centres in the world to carry out crash testing. Products like their shock-absorbing bracket will protect you in the event of a collision.

into a fully functional service vehicle

Installation: All installations will be undertaken in Tevo's production facility by their experienced personnel who are assigned to carry out kit assembly, kit installation and quality inspections.



Turnkey solutions: Tevo is a total solution provider offering services from initial manufacturer's direct delivery to their premises through to the final pre-delivery inspection, registration and onward delivery to the customer.



Approved converter: Tevo is an approved converter under the VCA's N1 Enhancements Scheme. This means that they have demonstrated to the VCA that they comply with the relevant requirements for processes and systems to meet conformity of production. Tevo is also affiliated to the FTA and are a recognised Partner in their Van Excellence scheme.



Modern production facility: Tevo's production facility is a purpose built 22,000 sq ft. building which is adjacent to their head office and warehouse. They can easily carry out all vehicle conversions from single vans to a whole fleet, as the open plan layout has been designed for greater flexibility and specifically to make each vehicle's journey through the installation process far more efficient.





Fiat Fiorino Cargo



The Fiat Fiorino is compact on the outside and spacious on the inside and above all economical, with its 1.3 Multijet II engine.

Easy to load and unload.

Access to the load compartment is simple and comfortable:

- rear access is ensured by two swing doors (40/60) that open up to 180°, giving a maximum width of 1140 mm and a height of up to 1060 mm.
- the sliding side door blends perfectly into the side panel and the vertical exterior handle offers an excellent grip and can be opened with either hand.

The load threshold is less than 53 cm from the ground, for easier loading and unloading. The SX and Adventure versions come with a nearside sliding door as standard.

Please note that it is the operator's responsibility to ensure the GVW is not exceeded.

Vehicle facts

FIAT FIORINO CARGO SX
Wheelbase: 2513 mm
Cubic metres: 2.5 m³

FIAT FIORINO CARGO Adventure
Wheelbase: 2513 mm
Cubic metres: 2.5 m³

Fiat Fiorino Cargo



Vehicle racking solutions


The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Fiorino Cargo SX and Fiat Fiorino Cargo Adventure (wheelbase 2513 mm / 2.5 m³).







Electrician specification

					
2974049GB	702	324	918	26.3	
2974050GB	999	324	918	36.7	

Nearside (2974049GB): 1 drawer unit frame with Mobil-Boxes, 1 shelf, 2 shelf end supports, 1 extension frame.
 Offside (2974050GB): 1 drawer unit, 3 shelves, 1 shelf end support, 1 extension frame.




Plumber specification

					
2974051GB	702	324	918	15.5	
2974052GB	1026	324	918	22.5	

Nearside (2974051GB): 3 shelves, 2 shelf end supports, 1 leg for shelf end support.
 Offside (2974052GB): 3 shelves, 2 shelf end supports, 1 leg for shelf end support.

Fiat Fiorino Cargo



Joiner specification

2974053GB	702	324	918	15.6	
2974054GB	1026	324	918	22.6	


Nearside (2974053GB): 3 shelves, 2 shelf end supports, 1 leg for shelf end support.
 Offside (2974054GB): 2 shelves, 1 shelf with drop down front, 2 shelf end supports, 1 leg for shelf end support.



Construction specification

2974055GB	702	324	918	13.4	
2974056GB	1026	324	918	16.6	

Nearside (2974055GB): 3 shelves, 2 shelf end supports, 1 leg for shelf end support.
 Offside (2974056GB): 3 shelves, 2 shelf end supports, 1 leg for shelf end support.



Flooring and lining are included within every specification.



Fiat Doblò Cargo



So many great solutions for transporting your work with the multi award winning Doblò.

Practical, robust and functional in every situation. Loading and unloading your vehicle is both comfortable and simple with its threshold of 545 mm.

To make your work easier and less tiring, the New Doblò Cargo includes the following:

- large sliding side door (height 1175 mm and width 700 mm) with the slide rails recessed in the vehicle body.
- rear door, 123 cm wide and 125 cm high on standard versions, 146 cm on high roof versions.
- With payload of up to 1 tonne and internal volume of 3.4 m³ to 5.0 m³.

Please note that it is the operator's responsibility to ensure the GVW is not exceeded.

Vehicle facts

FIAT DOBLÒ CARGO
Wheelbase: 2755 mm
Cubic metres: 3.4 m³

FIAT DOBLÒ MAXI CARGO
Wheelbase: 3105 mm
Cubic metres: 4.2 m³


FIAT DOBLÒ XL CARGO
Wheelbase: 3105 mm
Cubic metres: 5.0 m³

Fiat Doblò Cargo L1H1



Vehicle racking solutions


The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Doblò Cargo L1H1 (wheelbase 2755 mm / 3.4 m³).



Electrician specification

2974057GB		864	324	918	30.0
2974058GB		1350	324	918	39.6

Nearside (2974057GB): 1 drawer unit, 3 shelves, 2 shelf end supports.
 Offside (2974058GB): 1 drawer unit frame with drawer and Mobil-Boxes, 3 shelves, 2 shelf end supports.




Plumber specification






2974059GB		864	324	918	18.9
2974060GB		1350	324	918	25.9

Nearside (2974059GB): 3 shelves, 2 shelf end supports.
 Offside (2974060GB): 3 shelves, 2 shelf end supports.


Fiat Doblò Cargo L1H1








Joiner specification

					
2974061GB	864	324	918	15.9	
2974062GB	1350	324	918	27.9	


Nearside (2974061GB): 3 shelves, 2 shelf end supports.
 Offside (2974062GB): 3 shelves, 2 shelf end supports.



Construction specification

					
2974063GB	864	324	918	15.2	
2974064GB	1350	324	918	23.2	

Nearside (2974063GB): 3 shelves, 2 shelf end supports.
 Offside (2974064GB): 3 shelves, 2 shelf end supports.




Flooring and lining are included within every specification.

Fiat Doblò Cargo L2H1








Vehicle racking solutions


The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Doblò Cargo L2H1 (wheelbase 3105 mm / 4.2 m³).








Electrician specification

					
2974065GB	1188	324	918	34.5	
2974066GB	1674	324	918	34.8	

Nearside (2974065GB): 1 drawer unit, 3 shelves, 2 shelf end supports.
 Offside (2974066GB): 1 drawer unit frame with drawer and Mobil-Boxes, 3 shelves, 2 shelf end supports.




Plumber specification






					
2974067GB	1188	324	918	24.0	
2974068GB	1674	324	918	37.0	

Nearside (2974067GB): 3 shelves, 2 shelf end supports.
 Offside (2974068GB): 3 shelves, 2 shelf end supports.

Fiat Doblò Cargo L2H1








Joiner specification

					
2974069GB	1188	324	918	22.5	
2974070GB	1674	324	918	37.0	


Nearside (2974069GB): 3 shelves, 2 shelf end supports, 1 drop down front.
 Offside (2974070GB): 3 shelves, 2 shelf end supports.



Construction specification

					
2974071GB	1188	324	918	19.6	
2974072GB	1674	324	918	31.0	

Nearside (2974071GB): 3 shelves, 2 shelf end supports.
 Offside (2974072GB): 3 shelves, 2 shelf end supports.




Flooring and lining are included within every specification.

Fiat Doblò Cargo L2H2








Vehicle racking solutions


The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Doblò Cargo L2H2 (wheelbase 3105 mm / 5.0 m³).








Electrician specification

					
2974065GB	1188	324	918	34.5	
2974066GB	1674	324	918	34.8	

Nearside (2974065GB): 1 drawer unit, 3 shelves, 2 shelf end supports.
 Offside (2974066GB): 1 drawer unit frame with drawer and Mobil-Boxes, 3 shelves, 2 shelf end supports.




Plumber specification






					
2974067GB	1188	324	918	24.0	
2974068GB	1674	324	918	37.0	

Nearside (2974067GB): 3 shelves, 2 shelf end supports.
 Offside (2974068GB): 3 shelves, 2 shelf end supports.

Fiat Doblò Cargo L2H2








Joiner specification

					
2974069GB	1188	324	918	22.5	
2974070GB	1674	324	918	37.0	


Nearside (2974069GB): 3 shelves, 1 drop down front, 2 shelf end supports.
 Offside (2974070GB): 3 shelves, 2 shelf end supports.



Construction specification

					
2974071GB	1188	324	918	19.6	
2974072GB	1674	324	918	31.0	

Nearside (2974071GB): 3 shelves, 2 shelf end supports.
 Offside (2974072GB): 3 shelves, 2 shelf end supports.



Flooring and lining are included within every specification.



Fiat Scudo



There's a made to measure Scudo for your work, as it is versatile enough to meet all your business needs.

- 2 wheelbase options, short and long.
- 2 volume options, 5 m³ or 6 m³.

Easier access to the load compartment thanks to:

- the 2 large sliding side doors at 1293 mm in height they are best in class.
- the 2 rear swing doors open out to 90° and 180° - 2 glazed doors or a glazed tailgate available on request.

The load compartment height, 1449 mm in standard roof versions.

Please note that it is the operator's responsibility to ensure the GVW is not exceeded.

Vehicle facts

FIAT SCUDO L1H1
Wheelbase: 3000 mm
Cubic metres: 5.0 m³

FIAT SCUDO L2H1
Wheelbase: 3122 mm
Cubic metres: 6.0 m³

Fiat Scudo L1H1








Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Scudo L1H1 (wheelbase 3000 mm / 5.0 m³).




Electrician specification






				
2974073GB	1026	324	1026	42.7
2974074GB	1674	324	1026	67.0

Nearside (2974073GB): 1 drawer unit, 1 drawer unit frame with Mobil-Boxes, 1 wheel arch frame combined with door, 1 shelf.

Offside (2974074GB): 2 drawer units, 3 shelves, 1 drop down front, 1 shelf end support.




Plumber specification

				
2974075GB	1026	324	1026	37.9
2974076GB	1674	324	1026	60.0






Nearside (2974075GB): 1 drawer unit, 3 shelves, 1 drop down front, 2 shelf end supports.

Offside (2974076GB): 3 shelves, 2 shelf end supports, 1 vice holder with vice.


Fiat Scudo L1H1








Joiner specification

					
2974077GB	1026	324	1026	29.2	
2974078GB	1674	324	1026	36.4	


Nearside (2974077GB): 2 shelves, 1 shelf with drop down front, 1 drop down front, 2 shelf end supports.
 Offside (2974078GB): 3 shelves, 2 shelf end supports.



Construction specification

					
2974079GB	1026	324	1026	20.9	
2974080GB	1674	324	1026	32.1	

Nearside (2974079GB): 3 shelves, 1 drop down front, 2 shelf end supports.
 Offside (2974080GB): 3 shelves, 2 shelf end supports.



Flooring and lining are included within every specification.

Fiat Scudo L2H1








Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Scudo L2H1 (wheelbase 3122 mm / 6.0 m³).



Electrician specification






					
2974081GB		1350	324	918	60.8
2974082GB		2025	324	1188	76.1

Nearside (2974081GB): 1 drawer unit, 1 drawer unit frame with Mobil-Boxes, 1 shelf, 2 shelf end supports.

Offside (2974082GB): 1 drawer unit, 4 shelves, 4 compact series shelves, 1 shelf with drop down front, 1 drop down front, 3 shelf end supports, 3 extension frames.



Plumber specification

					
2974083GB		1350	324	1026	30.3
2974084GB		1998	324	1188	90.2

Nearside (2974083GB): 3 shelves, 2 shelf end supports.

Offside (2974084GB): 2 drawer units, 4 shelves, 1 drop down front, 2 shelf end supports, 2 extension frames.


Fiat Scudo L2H1



Joiner specification

2974085GB		1350	324	1026	52.9
2974086GB		2025	324	1026	48.6


Nearside (2974085GB): 3 shelves, 2 shelf end supports, 1 vice holder with vice.
 Offside (2974086GB): 4 shelves, 2 shelves with drop down fronts, 1 drop down front, 3 shelf end supports.



Construction specification

2974087GB		1350	324	1026	24.6
2974088GB		2025	324	1026	38.9

Nearside (2974087GB): 3 shelves, 2 shelf end supports.
 Offside (2974088GB): 4 shelves, 2 shelves with drop down fronts, 1 drop down front, 3 shelf end supports.



Flooring and lining are included within every specification.



Fiat Ducato



Innovative, tough, long-lasting, versatile and with generations of experience. Who doesn't want a business partner like this? The Ducato is generous in volume, generous in capacity and very safety conscious with ESP now fitted as standard along with electric windows, remote control central locking and dead locks.

- 3 wheelbases, 2 heights.
- volume ranging from 8 m³ to 13 m³.

Sliding side door and rear door both available in different size options.

Please note that it is the operator's responsibility to ensure the GVW is not exceeded.

Vehicle facts

FIAT DUCATO L1H1
Wheelbase: 3000 mm
Cubic metres: 8.0 m³

FIAT DUCATO L2H1
Wheelbase: 3450 mm
Cubic metres: 10.0 m³

FIAT DUCATO L3H2
Wheelbase: 4035 mm
Cubic metres: 13.0 m³

Fiat Ducato L1H1








Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Ducato L1H1 (wheelbase 3000 mm / 8.0 m³).








Electrician specification

					
2974089GB	1350	486	1296	63.1	
2974090GB	2187	324	1296	88.9	

Nearside (2974089GB): 1 drawer unit, 4 shelves, 2 shelf end supports, 2 extension frames.
 Offside (2974090GB): 1 drawer unit, 1 drawer unit frame with drawer and Mobil-Boxes, 9 shelves, 3 shelf end supports, 3 extension frames.



Plumber specification






					
2974091GB	1350	486	1296	85.7	
2974092GB	2187	324	1512	65.1	

Nearside (2974091GB): 1 drawer unit, 4 shelves, 2 shelf end supports, 2 extension frames, 1 vice holder with vice.
 Offside (2974092GB): 8 shelves, 3 compact series shelves, 3 shelf end supports, 3 extension frames.

Fiat Ducato L1H1



Joiner specification






					
2974093GB	1350	486	1512	47.5	
2974094GB	2187	324	1512	55.0	

Nearside (2974093GB): 5 shelves, 2 shelf end supports, 2 extension frames.

Offside (2974094GB): 8 shelves, 1 shelf with drop down front, 3 shelf end supports, 3 extension frames.




Construction specification

					
2974095GB	1350	486	1512	41.1	
2974096GB	2187	324	1512	50.6	

Nearside (2974095GB): 5 shelves, 2 shelf end supports, 2 extension frames.

Offside (2974096GB): 9 shelves, 3 shelf end supports, 3 extension frames.



Flooring and lining are included within every specification.

Fiat Ducato L2H1








Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Ducato L2H1 (wheelbase 3450 mm / 10.0 m³).








Electrician specification

					
2974097GB		1350	486	1296	74.9
2974098GB		2673	324	1296	94.1

Nearside (2974097GB): 2 drawer units, 4 shelves, 2 shelf end supports, 2 extension frames.
 Offside (2974098GB): 1 drawer unit, 1 drawer unit frame with Mobil-Boxes, 6 shelves, 1 shelf with drop down front, 1 drop down front, 2 shelf end supports, 2 extension frames, 1 extension plate.



Plumber specification






					
2974099GB		1350	486	1404	50.0
2974100GB		2646	324	1026	101.4

Nearside (2974099GB): 4 shelves, 2 shelf end supports, 2 extension frames.
 Offside (2974100GB): 2 drawer units, 4 shelves, 1 shelf end support.

Fiat Ducato L2H1



Joiner specification






					
2974101GB	1350	486	1512	68.6	
2974102GB	2511	324	1512	72.2	

Nearside (2974101GB): 5 shelves, 2 shelf end supports, 2 extension frames, 1 vice holder with vice.

Offside (2974102GB): 8 shelves, 2 shelves with drop down fronts, 1 drop down front, 3 shelf end supports, 3 extension frames.




Construction specification

					
2974103GB	1350	486	1296	35.4	
2974104GB	2511	324	1512	52.0	

Nearside (2974103GB): 4 shelves, 2 shelf end supports, 2 extension frames.

Offside (2974104GB): 9 shelves, 1 drop down front, 3 shelf end supports, 3 extension frames.



Flooring and lining are included within every specification.

Fiat Ducato L3H2








Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Fiat Ducato L3H2 (wheelbase 4035 mm / 13.0 m³).








Electrician specification

					
2974105GB	1998	486	1566	63.8	
2974106GB	2997	324	1566	98.3	

Nearside (2974105GB): 4 shelves, 2 shelf end supports, 2 extension frames.
 Offside (2974106GB): 1 drawer unit, 8 shelves, 2 storage holders with Mobil-Boxes, 3 shelf end supports, 3 extension frames.




Plumber specification






					
2974107GB	1998	486	1296	53.3	
2974108GB	2997	324	1566	100.2	

Nearside (2974107GB): 3 shelves, 2 shelf end supports.
 Offside (2974108GB): 1 drawer unit, 8 shelves, 1 drop down front, 3 shelf end supports, 3 extension frames.

Fiat Ducato L3H2








Joiner specification

					
2974109GB	1512	486	1512	126.3	
2974110GB	2997	324	1566	72.2	


Nearside (2974109GB): 3 drawer units, 1 work bench with tool board, 1 shelf, 1 shelf end support, 2 extension frames, 1 vice.
Offside (2974110GB): 10 shelves, 3 shelf end supports, 3 extension frames.



Construction specification

					
2974111GB	1998	486	1296	53.3	
2974112GB	2997	324	1566	58.6	

Nearside (2974111GB): 3 shelves, 2 shelf end supports.
Offside (2974112GB): 8 shelves, 3 shelf end supports, 3 extension frames.



Flooring and lining are included within every specification.

Racking accessories

Tevo's accessories are innovative products that have been specifically developed for use with the Modul-System range. By adding accessories, you can extend the functionality of the racking system and make your workspace even more efficient.



Load stop

50250-03	120	138	218	0.4




Grab handle

50015-03	221	34	121	0.4



Modul-Lock

50210-03	42	24	330	0.2



Lashing eyelet

50025-03	25	90	22	0.2



Lashing strap

11715	25	-	4500	0.5




Mesh basket

50013-03	161	290	291	0.8



Mobil-Boxes

10566 ¹	343	326	79	1.6
10564 ²	539	326	79	2.3
10563 ³	343	326	132	1.9
10565 ⁴	539	326	132	2.6



Modul-Boxes

10479-03 ¹	162	216	170	0.4
10480-03 ²	162	324	170	0.5
10481-03 ³	162	486	170	0.7
10487-03 ⁴	324	324	170	0.9



Modul-Box accessories

10483-03 ¹	162	35	85	0.1
10489-03 ²	324	35	95	0.1
10482-03 ³	162	6	162	0.1
10488-03 ⁴	324	6	162	0.2
10490-03 ⁵	324	20	160	0.1

Vehicle accessories

For more information please call 0800 012 1234



Roof rack with ladder stops

Roof rack configuration will vary dependent on vehicle selection.				



Roof bars with ladder slides and stops

Roof bar configuration will vary dependent on vehicle selection.				



Conduit box

VG400-2	2020	118.5	90	5.5
VG400-3	3030	118.5	90	7.5



Ladder clamps (one pair)

VG103	438	25	413	2.3



Interior light

16-1061-12	300	10	24	0.5
16-10121-12	600	10	24	0.9



Exterior light

16-18211	153	153	160	0.7



Fire extinguisher

16-77010	120	120	395	3.2



First aid kit

16-77009	270	175	90	1.3



Handwash unit/Soap dispenser

16-52033 ¹	300	180	330	3.0
16-77012 ²	175	165	315	0.8

A safe choice

Tevo's van racking solutions are produced in Modul-System's factory in Sweden. Their products are built using some of the most advanced production technologies in Europe and their manufacturing processes meet ISO 9001 certification and also comply with the European TÜV standard.

Safety and quality are of paramount importance to Tevo. They invest a lot of time and energy into the development of innovative, new products and then carry out stringent tests to make sure that the end product is of the highest quality possible. This includes laboratory, load capacity and vibration tests - simulating real use (3D) along with durability tests to replicate the complete product life cycle, ensuring that their products are designed to cope with the harsh environment that the vehicle and conversion can sometimes be subjected to.

Comprehensive crash testing is carried out at specialist research facilities as part of Tevo's commitment to safety. The tests are known as ECE R17-07 with a 20g pulse for 30ms. This test is identical in all major respects to the DIN 75410-2 test, which is the equivalent to a crash at a speed of approximately 30 MPH.



Freight Transport Association
Delivering safe, efficient, sustainable logistics



FM 27660



EMS558280



LEX AUTOLEASE 

Lex Autolease
Blake House
Hatchford Way
Birmingham
B26 3RZ
Registered in England and Wales
with registered number: 1090741
www.lexautolease.co.uk



Fiat Group Automobiles UK Ltd
Registered Office:
240 Bath Road
Slough SL1 4DX
Registration No. 00201514
www.fiatprofessional.co.uk



Tevo Limited
Registered Office:
Maddison House
Thomas Road
Wooburn Industrial Park
Wooburn Green
Buckinghamshire HP10 OPE
Registration No. 01540940
www.tevo.eu.com