



# LEX AUTOLEASE

*working with Tevo and Vauxhall*

---

VAN RACKING SOLUTIONS FROM TEVO  
FOR VAUXHALL LIGHT COMMERCIAL VEHICLES



**VAUXHALL**





Movano

# Driveaway solutions for commercial vehicles

Lex Autolease is the UK's leading fleet management and funding specialist with the industry knowledge and experience to help build the perfect commercial fleet for your business.

An extension to our Commercial Vehicle service is now available which will provide your business with purpose built Driveaway vans. This additional service has been developed in conjunction with Vauxhall and van racking experts Tevo Limited.

In responding to our customers' requirements, Lex Autolease has developed a range of Driveaway commercial vehicle solutions to meet the needs of various business sectors.

Driveaway vans are converted by Tevo Limited and are ready for use as soon as they're delivered. The internal specifications are designed and fitted out to meet your work needs, so all necessary racking and safety features are pre-installed before delivery.

## Dedicated to Commercial Vehicles

At Lex Autolease, we're dedicated to Commercial Vehicles. Businesses and public sector organisations all across the UK trust us to take care of their vehicle lease requirements. Our end to end service helps your business meet the challenges of running your fleet:

- **Choice** – a comprehensive range of vehicles and body styles to meet your specific vehicle needs.
- **Implementation** – the adaptation and delivery process is fully managed by our Commercial Vehicle experts once the specifications have been agreed.
- **Operation** – Our Commercial Vehicle Technical Services Team will help to make sure that your fleet is fully maintained and vehicle downtime is kept to a minimum.

For further information, quotations or to discuss your fleet requirements please get in touch:

**Customer Services - 0800 012 1234**

**[direct@lexautolease.co.uk](mailto:direct@lexautolease.co.uk)**




# Convert your empty van...




**Light, strong and durable:** Tevo's products are made from ultra-high strength steel, a material that combines maximum strength with minimum weight. This has resulted in a safer product, which in turn will increase your vehicle's load capacity, alternatively reduce your vehicle's CO<sub>2</sub> emissions and fuel costs even further.



**Flexible:** Thanks to being modular in all senses, combined with innovative solutions, integrated T-tracks and smart accessories, Tevo can offer a system with endless possibilities. If your demand changes, you can easily add to, or change the design to suit your needs. Square modules can easily be rotated in the system to face, for example, the side door.



**A high-quality product:** Tevo's products comply with the European TÜV standard. Through ISO 9001 certification, they can ensure quality at every stage from development and manufacturing through to sales, customer service and delivery. This enables them to offer a 36 month warranty with confidence, on all of the products that they manufacture ourselves.



**A safe choice:** Tevo has more than 30 years' experience within the industry, and have been working diligently on their safety programme for many years. Today they use some of the most highly reputable safety centres in the world to carry out crash testing. Products like their shock-absorbing bracket will protect you in the event of a collision.

# into a fully functional service vehicle

**Installation:** All installations will be undertaken in Tevo's production facility by their experienced personnel who are assigned to carry out kit assembly, kit installation and quality inspections.



**Turnkey solutions:** Tevo is a total solution provider offering services from initial manufacturer's direct delivery to their premises through to the final pre-delivery inspection, registration and onward delivery to the customer.



**Approved converter:** Tevo is an approved converter under the VCA's N1 Enhancements Scheme. This means that they have demonstrated to the VCA that they comply with the relevant requirements for processes and systems to meet conformity of production. Tevo is also affiliated to the FTA and are a recognised Partner in their Van Excellence scheme.



**Modern production facility:** Tevo's production facility is a purpose built 22,000 sq ft. building which is adjacent to their head office and warehouse. They can easily carry out all vehicle conversions from single vans to a whole fleet, as the open plan layout has been designed for greater flexibility and specifically to make each vehicle's journey through the installation process far more efficient.





# Vauxhall Combo



Discover a practical and cost-efficient solution for your business: the class-leading Vauxhall Combo, winner of the What Van? Light Van of the Year 2013 award.

It's designed to take care of your cargo, your people, your business assets and your bottom line. And with two lengths, two heights, four diesel engines, manual or Tecshift transmission Combo has everything you need to get to work.

Compact, capacious and easy to load, the Combo can carry a payload of up to one tonne, which is the highest in its class, with a capacity of 3.4m<sup>3</sup> for the L1H1 version and 4.2m<sup>3</sup> for the L2H1 version. So you can take care of everyday transport needs, while having sufficient in reserve for those jobs that demand extra capacity.

The standard full-height steel bulkhead gets the Combo off to a good start, helping to protect cab occupants from a shifting load in an accident.

Please note that it is the operator's responsibility to ensure the GVW is not exceeded.

## Vehicle facts

VAUXHALL COMBO L1H1  
Wheelbase: 2755 mm  
Cubic metres: 3.4 m<sup>3</sup>


VAUXHALL COMBO L2H1  
Wheelbase: 3105 mm  
Cubic metres: 4.2 m<sup>3</sup>

# Vauxhall Combo L1H1



## Vehicle racking solutions


The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Vauxhall Combo L1H1 (wheelbase 2755 mm / 3.4 m<sup>3</sup>).



### Electrician specification

2974001GB		864	324	918	30.1
2974002GB		1350	324	918	40.1

Nearside (2974001GB): 1 drawer unit, 3 shelves, 2 shelf end supports.  
 Offside (2974002GB): 1 drawer unit frame with drawer and Mobil-Boxes, 3 shelves, 2 shelf end supports.




### Plumber specification

2974003GB		864	324	918	18.9
2974004GB		1350	324	918	25.9






Nearside (2974003GB): 3 shelves, 2 shelf end supports.  
 Offside (2974004GB): 3 shelves, 2 shelf end supports.




# Vauxhall Combo L1H1








## Joiner specification

					
2974005GB	864	324	918	15.9	
2974006GB	1350	324	918	27.9	

Nearside (2974005GB): 3 shelves, 2 shelf end supports.  
 Offside (2974006GB): 3 shelves, 2 shelf end supports.




## Construction specification

					
2974007GB	864	324	918	15.2	
2974008GB	1350	324	918	23.2	

Nearside (2974007GB): 3 shelves, 2 shelf end supports.  
 Offside (2974008GB): 3 shelves, 2 shelf end supports.



## Flooring


					
LIVC-01	-	-	-	-	

# Vauxhall Combo L2H1



## Vehicle racking solutions


The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Vauxhall Combo L2H1 (wheelbase 3105 mm / 4.2 m<sup>3</sup>).



### Electrician specification

2974009GB	1188	324	918	34.5	
2974010GB	1674	324	918	34.5	

Nearside (2974009GB): 1 drawer unit, 3 shelves, 2 shelf end supports.  
 Offside (2974010GB): 1 drawer unit frame with drawer and Mobil-Boxes,  
 3 shelves, 2 shelf end supports.




### Plumber specification

2974011GB	1188	324	918	24.3	
2974012GB	1674	324	918	37.0	

Nearside (2974011GB): 3 shelves, 2 shelf end supports.  
 Offside (2974012GB): 3 shelves, 2 shelf end supports.


# Vauxhall Combo L2H1



### Joiner specification

2974013GB	1188	324	918	22.5	
2974014GB	1674	324	918	37.0	

Nearside (2974013GB): 3 shelves, 1 drop down front, 2 shelf end supports.  
 Offside (2974014GB): 3 shelves, 2 shelf end supports.



### Construction specification

2974015GB	1188	324	918	19.6	
2974016GB	1674	324	918	31.0	

Nearside (2974015GB): 3 shelves, 2 shelf end supports.  
 Offside (2974016GB): 3 shelves, 2 shelf end supports.



### Flooring

LIVC-02	-	-	-	-	



# Vauxhall Vivaro



With proven technology and an innovative range of highly economical engines, the Vauxhall Vivaro continues to set the standard for the medium van category. Big on style, big on performance and big on the kind of features that take the hard graft out of everyday working life, its versatility and good looks will enhance your business.

Visually, the UK-built Vivaro makes a clear professional statement, our Sportive models, in particular, benefitting from front fog lights, 16-inch alloy wheels, body-colour rear light mouldings and door mirror housings. Inside, the Vivaro is as functional as ever with a stylish yet practical fascia, superb ergonomics and a host of intelligent storage facilities.

Generous interior height for high-roof models means that most people should be able to stand inside the van, making it useful as a service vehicle and there's a wide range of racking designed to fit the Vivaro.

Standard equipment includes a full-height steel bulkhead to protect cab occupants from a shifting load, lashing eyes in the floor.

Please note that it is the operator's responsibility to ensure the GVW is not exceeded.

## Vehicle facts

VAUXHALL VIVARO L1H1  
Wheelbase: 3098 mm  
Cubic metres: 5.3 m<sup>3</sup>

VAUXHALL VIVARO L2H1  
Wheelbase: 3498 mm  
Cubic metres: 6.2 m<sup>3</sup>

# Vauxhall Vivaro L1H1








## Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Vauxhall Vivaro L1H1 (wheelbase 3098 mm / 5.3 m<sup>3</sup>).




### Electrician specification






					
2974017GB	1026	486	1188	42.9	
2974018GB	1863	324	1188	54.7	

**Nearside (2974017GB):** 4 shelves, 1 drop down front, 2 shelf end supports, 2 extension frames.

**Offside (2974018GB):** 1 drawer unit, 1 drawer unit frame with Mobil-Boxes, 4 shelves, 1 shelf with drop down front, 3 shelf end supports, 3 extension frames.




### Plumber specification

					
2974019GB	1026	486	918	54.1	
2974020GB	1863	324	1026	40.2	






**Nearside (2974019GB):** 3 shelves, 2 shelf end supports, 1 vice holder with vice.

**Offside (2974020GB):** 5 shelves, 1 shelf with drop down front, 3 shelf end supports.

# Vauxhall Vivaro L1H1



## Joiner specification






					
2974021GB	1026	486	918	21.6	
2974022GB	1863	324	1026	37.2	

Nearside (2974021GB): 2 shelves, 2 shelf end supports.

Offside (2974022GB): 5 shelves, 1 shelf with drop down front, 1 drop down front, 3 shelf end supports.



## Construction specification






					
2974023GB	1026	486	918	25.3	
2974024GB	1863	324	1026	29.0	

Nearside (2974023GB): 3 shelves, 2 shelf end supports.

Offside (2974024GB): 6 shelves, 3 shelf end supports.



## Flooring


					
LIVV-01	-	-	-	-	

# Vauxhall Vivaro L2H1








## Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Vauxhall Vivaro L2H1 (wheelbase 3498 mm / 6.2 m<sup>3</sup>).








### Electrician specification

					
2974025GB	1350	486	1188	59.5	
2974026GB	2187	324	1026	58.7	

Nearside (2974025GB): 1 drawer unit, 4 shelves, 2 shelf end supports, 2 extension frames.  
 Offside (2974026GB): 1 drawer unit, 1 drawer unit frame with Mobil-Boxes, 4 shelves, 1 shelf with drop down front, 3 shelf end supports.




### Plumber specification

					
2974027GB	1350	486	918	32.8	
2974028GB	2160	324	1026	69.7	






Nearside (2974027GB): 2 shelves, 2 shelf end supports.  
 Offside (2974028GB): 1 drawer unit, 3 shelves, 1 shelf end support.




# Vauxhall Vivaro L2H1








## Joiner specification

					
2974029GB	1350	486	918	59.0	
2974030GB	2187	324	1026	43.9	

Nearside (2974029GB): 3 shelves, 2 shelf end supports, 1 vice holder with vice.  
 Offside (2974030GB): 4 shelves, 1 shelf with drop down front, 1 drop down front, 3 shelf end supports.








## Construction specification

					
2974031GB	1350	486	918	28.9	
2974032GB	2187	324	1026	34.4	

Nearside (2974031GB): 3 shelves, 2 shelf end supports.  
 Offside (2974032GB): 6 shelves, 3 shelf end supports.



## Flooring

					
LIVV-02	-	-	-	-	



# Vauxhall Movano



The award-winning Vauxhall Movano, the heavy-duty van with more cabin comfort, more load-capacity and a choice of either front-wheel or rear-wheel drive.

With gross vehicle weights of up to 4.5 tonnes, the Movano gets the job done and with panel vans available in a range of heights, load lengths and drivetrains, choice is never going to be an issue.

All panel van models come with a full-height steel bulkhead for reduced noise levels and to help protect cab occupants from a shifting load. There are load lashing points in the load floor, the number is dependent on the model.

Please note that it is the operator's responsibility to ensure the GVW is not exceeded.

## Vehicle facts

VAUXHALL MOVANO L2H2  
Wheelbase: 3682 mm  
Cubic metres: 10.8 m<sup>3</sup>

VAUXHALL MOVANO L3H2  
Wheelbase: 4332 mm  
Cubic metres: 13 m<sup>3</sup>

# Vauxhall Movano L2H2








## Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Vauxhall Movano L2H2 (wheelbase 3682 mm / 10.8 m<sup>3</sup>).



### Electrician specification






					
2974033GB		1350	486	1566	46.1
2974034GB		2511	324	1566	104.0

Nearside (2974033GB): 4 shelves, 2 shelf end supports, 2 extension frames.

Offside (2974034GB): 1 drawer unit, 1 drawer unit frame with drawers and Mobil-Boxes, 7 shelves, 3 shelf end supports, 3 extension frames.




### Plumber specification

					
2974035GB		1350	486	1296	40.5
2974036GB		2511	324	1566	71.9

Nearside (2974035GB): 3 shelves, 2 shelf end supports.

Offside (2974036GB): 1 drawer unit, 8 shelves, 3 shelf end supports, 1 drop down front, 3 extension frames.

# Vauxhall Movano L2H2



## Joiner specification

2974037GB	1188	486	1512	89.9	
2974038GB	2511	324	1566	55	

Nearside (2974037GB): 2 drawer units, 1 work bench, 1 shelf, 2 shelf end supports, 2 extension frames, 1 vice.  
 Offside (2974038GB): 8 shelves, 3 shelf end supports, 3 extension frames.



## Construction specification

2974039GB	1350	486	1566	43.1	
2974040GB	2511	324	1566	49.9	

Nearside (2974039GB): 4 shelves, 2 shelf end supports, 2 extension frames.  
 Offside (2974040GB): 8 shelves, 3 shelf end supports, 3 extension frames.



## Flooring

LIVM-01	-	-	-	-	

# Vauxhall Movano L3H2








## Vehicle racking solutions

The racking solutions offer a space saving storage system and provide an efficient work place in the vehicle. The kits are designed to fit a Vauxhall Movano L3H2 (wheelbase 4332 mm / 13 m<sup>3</sup>).



### Electrician specification






					
2974041GB	1998	486	1566	64.5	
2974042GB	2997	324	1566	98.3	

Nearside (2974041GB): 4 shelves, 2 shelf end supports, 2 extension frames.

Offside (2974042GB): 1 drawer unit, 8 shelves, 3 shelf end supports, 3 extension frames.




### Plumber specification

					
2974043GB	1998	486	1296	54.0	
2974044GB	2997	324	1566	100.2	

Nearside (2974043GB): 3 shelves, 2 shelf end supports.

Offside (2974044GB): 1 drawer unit, 8 shelves, 1 drop down front, 3 shelf end supports, 3 extension frames.

# Vauxhall Movano L3H2



## Joiner specification

2974045GB		1512	486	1512	128.2
2974046GB		2997	324	1566	72.2

Nearside (2974045GB): 3 drawer units, 1 work bench with tool board, 1 shelf, 1 shelf end support, 2 extension frames, 1 vice.  
 Offside (2974046GB): 10 shelves, 3 shelf end supports, 3 extension frames.



## Construction specification

2974047GB		1998	486	1296	54.0
2974048GB		2997	324	1566	58.6

Nearside (2974047GB): 3 shelves, 2 shelf end supports.  
 Offside (2974048GB): 8 shelves, 3 shelf end supports, 3 extension frames.



## Flooring

LIVM-02		-	-	-	-

# Racking accessories

Tevo's accessories are innovative products that have been specifically developed for use with the Modul-System range. By adding accessories, you can extend the functionality of the racking system and make your workspace even more efficient.



Load stop

50250-03	120	138	218	0.4



Grab handle

50015-03	221	34	121	0.4



Modul-Lock

50210-03	42	24	330	0.2



Lashing eyelet

50025-03	25	90	22	0.2



Lashing strap

11715	25	-	4500	0.5




Mesh basket

50013-03	486	324	96	1.7



Mobil-Boxes

10566 <sup>1</sup>	343	326	79	1.6
10564 <sup>2</sup>	539	326	79	2.3
10563 <sup>3</sup>	343	326	132	1.9
10565 <sup>4</sup>	539	326	132	2.6



Modul-Boxes

10479-03 <sup>1</sup>	162	216	170	0.4
10480-03 <sup>2</sup>	162	324	170	0.5
10481-03 <sup>3</sup>	162	486	170	0.7
10487-03 <sup>4</sup>	324	324	170	0.9



Modul-Box accessories

10483-03 <sup>1</sup>	162	35	85	0.1
10489-03 <sup>2</sup>	324	35	95	0.1
10482-03 <sup>3</sup>	162	6	162	0.1
10488-03 <sup>4</sup>	324	6	162	0.2
10490-03 <sup>5</sup>	324	20	160	0.1



# Vehicle accessories

For more information please call 0800 012 1234



Roof rack with ladder stops

Roof rack configuration will vary dependent on vehicle selection.				



Roof bars with ladder slides and stops

Roof bar configuration will vary dependent on vehicle selection.				



Conduit box

VG400-2	2020	118.5	90	5.5
VG400-3	3030	118.5	90	7.5



Ladder clamps (one pair)

VG103	438	25	413	2.3



Interior light

16-1061-12	300	10	24	0.5
16-10121-12	600	10	24	0.9



Exterior light

16-18211	153	153	160	0.7



Fire extinguisher

16-77010	120	120	395	3.2



First aid kit

16-77009	270	175	90	1.3



Handwash unit/Soap dispenser

16-52033 <sup>1</sup>	300	180	330	3.0
16-77012 <sup>2</sup>	175	165	315	0.8

# A safe choice

Tevo's van racking solutions are produced in Modul-System's factory in Sweden. Their products are built using some of the most advanced production technologies in Europe and their manufacturing processes meet ISO 9001 certification and also comply with the European TÜV standard.

Safety and quality are of paramount importance to Tevo. They invest a lot of time and energy into the development of innovative, new products and then carry out stringent tests to make sure that the end product is of the highest quality possible. This includes laboratory, load capacity and vibration tests - simulating real use (3D) along with durability tests to replicate the complete product life cycle, ensuring that their products are designed to cope with the harsh environment that the vehicle and conversion can sometimes be subjected to.

Comprehensive crash testing is carried out at specialist research facilities as part of Tevo's commitment to safety. The tests are known as ECE R17-07 with a 20g pulse for 30ms. This test is identical in all major respects to the DIN 75410-2 test, which is the equivalent to a crash at a speed of approximately 30 MPH.



Freight Transport Association  
Delivering safe, efficient, sustainable logistics



FM 27660



EMS558280





**LEX AUTOLEASE** 

Lex Autolease  
Blake House  
Hatchford Way  
Birmingham  
B26 3RZ  
Registered in England and Wales  
with registered number: 1090741  
[www.lexautolease.co.uk](http://www.lexautolease.co.uk)

 **VAUXHALL**

Vauxhall  
Registered Office:  
Griffin House  
UK1-101-135  
Osborne Road  
Luton  
Bedfordshire LU1 3YT  
Registration No. 135767  
[www.vauxhall.co.uk](http://www.vauxhall.co.uk)

 **TEVO**  
Part of the Modul-System Group

Tevo Limited  
Registered Office:  
Maddison House  
Thomas Road  
Wooburn Industrial Park  
Wooburn Green  
Buckinghamshire HP10 0PE  
Registration No. 01540940  
[www.tevo.eu.com](http://www.tevo.eu.com)